



RECOMMENDED PRECAST SIZE REQUIREMENTS

| BARREL DIAMETER | MAXIMUM SIZE RCP |         |     |
|-----------------|------------------|---------|-----|
|                 | 2 @ 90           | 2 @ 180 | RCP |
| 48"             | 15"              | 30"     | 33" |
| 54"             | 18"              | 36"     | 36" |
| 60"             | 21"              | 42"     | 42" |
| 66"             | 24"              | 48"     | 48" |
| 72"             | 30"              | 48"     | 48" |

- NOTE NO.1 - MANHOLE CASTING SHALL BE AS DEFINED IN SECTION 1205-2.5.
- NOTE NO.2 - CRETEX P2 GASKETED JOINT FOR 48" MANHOLES, CRETEX CX-4 JOINT FOR ALL OTHER SIZES OF MANHOLES OR EXTERIOR SEAL BY PRESS-SEAL GASKET CORP. EZ WRAP AND EZ STIK NO. 4 PRIMER, CRETEX SPECIALTY PRODUCTS "MAC WRAP", OR AN APPROVED EQUAL.
- NOTE NO.3 - PRECAST CONCRETE MANHOLE SHALL CONFORM TO ASTM C478, WALL B.
- NOTE NO.4 - PRECAST REINFORCED CONCRETE MANHOLE BASES SHALL CONFORM TO SECTION 1205-2.9.
- NOTE NO.5 - MANHOLE TOP SECTION SHALL BE ECCENTRIC FOR 48" MANHOLES
- NOTE NO.7 - I/I BARRIER AS MANUFACTURED BY AP/M PERMAFORM OR AN APPROVED EQUAL.
- NOTE NO.8 - STEPS SHALL NOT BE PLACED IN SANITARY SEWER, STORM SEWER OR AIR RELEASE MANHOLES OR INLETS UNLESS SPECIFIED. IF SPECIFIED, THE MANHOLE STEPS SHALL BE DELTA SUREFOOT OR APPROVED EQUAL. STEPS SHALL BE SPACED 16" ON CENTER.

**STORM SEWER MANHOLE**

|                  |                          |
|------------------|--------------------------|
| <b>Scale</b>     | <b>Sheet #</b>           |
| NTS              | 1 of 1                   |
| <b>Date</b>      | 04/07/2015               |
| <b>File Name</b> | Construction Details.dwg |

**DISCLAIMER**

The specifications represented in this document are in accordance with established City of Mandan Engineering & Planning practices and are an electronic facsimile of the specifications on file in the City of Mandan Engineering & Planning Department. However, neither the City of Mandan nor its employees can or do warranty these specifications to be complete specifications for any or all construction projects. The specification document, together with all addendums listed in each construction project specification, shall be the project specification for the City of Mandan. The user acknowledges and accepts all the data "as is", including the fact that the details are under a constant state of maintenance, correction and revision.

**1309  
STORM SEWER  
MANHOLE DETAIL**

