


NOTE 1: Use Precast Concrete Adjusting Rings for Adjustment.

NOTE 2: Inlet back shall be adjusted to conform with curb and gutter grades and curb alignment.

NOTE 3: Manhole casting shall be adjusted to conform with grade and slope of proposed concrete or asphalt.

NOTE 4: Manhole casting will be adjusted after either AC leveling or AC base course has been placed.

NOTE 5: Inlet and manhole casting shall be considered adjusted only when raised or lowered by adding or removing either adjusting rings or grout.



| | |
|-----------|--------------------------|
| Scale | Sheet # |
| NTS | 1 of 1 |
| Date | 04/07/2019 |
| File Name | Construction Details.dwg |

DISCLAIMER

The specifications represented in this document are in accordance with established City of Mandan Engineering & Planning practices and are an electronic facsimile of the specifications on file in the City of Mandan Engineering & Planning Department. However, neither the City of Mandan nor its employees can or do warranty these specifications to be complete specifications for any or all construction projects. The specification document, together with all addendums listed in each construction project specification, shall be the project specification for the City of Mandan. The user acknowledges and accepts all the data "as is", including the fact that the details are under a constant state of maintenance, correction and revision.

1311 MANHOLE ADJUSTMENT DETAIL

